

## Appendix 2 Western Australian Natives Susceptible to *Phytophthora cinnamomi*.

Compiled by E. Groves, P. Hollick, G. Hardy & J. McComb, Murdoch University

Information used to determine susceptibility to *P. cinnamomi*: 1a- field observations, 1b- field observation and recovery of *P. cinnamomi*. 2a- glasshouse inoculation of *P. cinnamomi* and recovery, 2b- field inoculation with *P. cinnamomi* and recovery. NP- no information was given in the reference .

PLANT SPECIES	COMMON NAME	ASSESSMENT	RARE SPECIES (R)	NURSERY AVAILABILITY (A)	REFERENCES
<i>Acacia campylophylla</i> Benth.		1b			27
<i>Acacia myrtifolia</i> (Sm) wild.		1b		A	14
<i>Acacia stenoptera</i> Maslin.	Narrow Winged Wattle	1b			28
<i>Actinostrobus pyramidalis</i> Miq.	Swamp Cypress	2a			31
<i>Adenanthos barbiger</i> Lindl.		1a		A	1, 18, 28
<i>Adenanthos cumminghamii</i> Meisn.	Albany Woolly Bush	NP		A	8, 12
<i>Adenanthos cuneatus</i> Labill.	Coastal Jugflower	1a		A	1, 10
<i>Adenanthos cygnorum</i> Diels.	Common Woolly Bush	1a			1, 11
<i>Adenanthos detmoldii</i> F. Muell.	Scott River Jugflower	1a			1
<i>Adenanthos dobagii</i> E.C. Nelson	Fitzgerald Jugflower	NP	R		8, 12
<i>Adenanthos ellipticus</i> A.S. George	Oval Leafed Adenanthos	NP			12
<i>Adenanthos filifolius</i> Benth.		1a			33
<i>Adenanthos ileticos</i> E.C. George	Club Leafed Adenanthos	NP			12
<i>Adenanthos meisneri</i> Lehm.		1a		A	1
<i>Adenanthos obovatus</i> Labill.	Basket Flower	1b		A	1, 11, 22, 28
<i>Adenanthos oreophilus</i> E.C. Nelson		1a			33
<i>Adenanthos pungens</i> ssp. <i>effusus</i>	Spiky Adenanthos	NP	R		8
<i>Adenanthos pungens</i> ssp. <i>pungens</i>		NP	R		8
<i>Adenanthos sericeus</i> Labill.	Woolly Bush	1a		A	1
<i>Agonis linearifolia</i> (D.C.) Sweet	Swamp Peppermint	1b			10
<i>Agrostocrinum scabrum</i> (R. Br) Baill.	Bluegrass	1a			17
<i>Allocasuarina fraseriana</i> (Miq) L.A.S. Johnson	Sheoak	1b		A	1, 10, 22
<i>Allocasuarina humilis</i> (Otto & F. Dietr.) L.A.S. Johnson	Dwarf Sheoak	1a		A	1, 11, 22
<i>Allocasuraina thuyoides</i> (Miq.) L.A.S. Johnson	Horned Sheoak	1a			33
<i>Amphipogon amphipogonoides</i> (Steud.) Vickery		2a			17
<i>Andersonia axilliflora</i> (Stschegl) Druce	Giant Andersonia	NP	R		8
<i>Andersonia caerulea</i> R. Br.	Foxtails	1a			1, 10
<i>Andersonia echinocephala</i> (Stschegl.) Druce		2a	P3		2
<i>Andersonia heterophylla</i> Sond.		2b			1, 11
<i>Andersonia lehmanniana</i> Sond.		1a			1, 11
<i>Andersonia pinaster</i> Lemson.		1a	R		36
<i>Andersonia simplex</i> (Stschegl.) Druce	Spiked Andersonia	1b			10

<i>Aotus ericoides</i> (Vent.) G. Don		1a			11, 22, 31
<i>Aotus passerinoides</i> Meisn.		1a			22, 31
<i>Astroloma cilatum</i> (Lindl.) Druce	Candle Cranberry	1b			7
<i>Astroloma xerophyllum</i> (D.C.) Sond.		2b			1, 11, 33
<i>Banksia aculeata</i> A.S. George		1a			36
<i>Banksia anatona</i> (A.S. George) A.R. Mast & K.R. Thiele		2a	R		2
<i>Banksia ashbyi</i> Baker .	Ashby's Banksia	1b, 2a		A	5
<i>Banksia attenuata</i> R.Br	Slender Banksia	1b, 2b		A	1, 16, 22, 28
<i>Banksia audax</i> C.A. Gardner		2a			16
<i>Banksia baueri</i> R.Br	Woolly Banksia	1b, 2a		A	1, 5, 16
<i>Banksia baxteri</i> R.Br	Baxter's Banksia	1b		A	1, 5, 16
<i>Banksia brownii</i> R.Br	Feather leaved Banksia	2a	R		8, 5, 12, 16
<i>Banksia burdettii</i> Baker f.	Burdett's Banksia	2a		A	5, 16
<i>Banksia calyei</i> R.Br.	Cayley's Banksia	2a		A	5, 16
<i>Banksia candolleana</i> Meisn.	Propeller Banksia	2a			5, 16
<i>Banksia coccinea</i> R.Br.	Scarlet Banksia	2a		A	1, 5, 16
<i>Banksia concinna</i> (R. Br.) A.R. Mast & K.R. Thiele		2a	P4		2
<i>Banksia cuneata</i> A.S. George	Quairading Banksia	2a	R		12, 16
<i>Banksia dryandroides</i> Sweet	Dryandra-leaved Banksia	2a			16
<i>Banksia elderiana</i> F. Muell. & Tate	Swordfish Banksia	2a			16
<i>Banksia gardneri</i> A.S. George		2a			16
<i>Banksia gardneri</i> var <i>brevidentata</i> A.S. George		1a			36
<i>Banksia gardneri</i> var <i>gardneri</i> A.S. George		1a			36
<i>Banksia goodii</i> R.Br	Good's Banksia	NP	R		8, 12
<i>Banksia grandis</i> Willd.	Bull Banksia	2a		A	1, 5, 16, 22, 27
<i>Banksia hirta</i> A.R. Mast & K.R. Thiele		2a	P3		2
<i>Banksia hookeriana</i> Meisn.	Hooker's Banksia	2a		A	5, 16
<i>Banksia ilcifolia</i> R.Br.	Holly-leaved Banksia	1b			1, 22, 28
<i>Banksia laevigata</i> Meisn.	Tennisball Banksia	2a			16
<i>Banksia laricina</i> C.A. Gardner	Rose Banksia	2a			5, 16
<i>Banksia lemmaniana</i> Meisn.	Lemann's Banksia	2a		A	16
<i>Banksia lindleyana</i> Meisn.	Porcupine Banksia	2a			5, 16
<i>Banksia littoralis</i> R.Br.	Swamp Banksia	2a		A	1, 16, 22
<i>Banksia luffitzi</i> C.A. Gardner		2a			16
<i>Banksia media</i> R.Br.	Southern Plains Banksia	2a		A	1, 16
<i>Banksia menziesii</i> R.Br.	Firewood Banksia	1b, 2a		A	1, 5, 16, 22, 28
<i>Banksia micrantha</i> A.S. George		1a			36
<i>Banksia montana</i> (A.S. George) A.R. Mast & K.R. Thiele		2a	R		2
<i>Banksia nutans</i> R.Br.	Nodding Banksia	1a, 2a			1, 5, 16
<i>Banksia occidentalis</i> R.Br.	Red Swamp Banksia	1a, 2a		A	1, 5, 16, 36
<i>Banksia oligantha</i> A.S. George	Wagin Banksia	NP	R		8, 12
<i>Banksia oreophila</i> A.S. George	Mountain Banksia	1a			36

<i>Banksia petiolaris</i> F. Muell.		2b		A	16
<i>Banksia pilostylis</i> C.A. Gardner		2b		A	16
<i>Banksia praemorsa</i> Andrews	Cut-leaf Banksia	2a		A	1, 16
<i>Banksia prionotes</i> Lindl.	Acorn Banksia	1b, 2a		A	1, 5, 16
<i>Banksia pseudoplumosa</i> (A.S. George) A.R. Mast & K.R. Thiele		2a	R		2
<i>Banksia pulchella</i> R.Br.		2a			16
<i>Banksia quercifolia</i> R.Br.	Oak-leafed banksia	1a			1, 10
<i>Banksia repens</i> Labill.	Creeping Banksia	2b		A	16
<i>Banksia rufa</i> ssp. <i>pumila</i> (A.S. George) A.R. Mast & K.R. Thiele		2a	P2		2
<i>Banksia seminuda</i> (A.S. George) Rye	River Banksia	1a		A	1
<i>Banksia solandri</i> R. Br.	Stirling Range Banksia	2a	P4		2
<i>Banksia speciosa</i> R.Br.	Showy Banksia	1b, 2a		A	1, 5, 16
<i>Banksia sphaerocarpa</i> R.Br.	Round- fruit Banksia	1b, 2a			1, 5, 16
<i>Banksia telmatiaea</i> A.S. George	Swamp fox Banksia	2b			1, 11
<i>Banksia tricuspis</i> Meisn.	Pine Banksia	NP			12
<i>Banksia verticillata</i> R.Br.	Albany Banksia	2a	R		12, 16
<i>Banksia victoriae</i> Meisn.	Woolly Orange Banksia	2b		A	16
<i>Beaufortia anisandra</i> Schauer		1b			10
<i>Beaufortia micrantha</i> Schauer	Little Bottlebrush	1a		A	36
<i>Boronia fastigiata</i> Bartl.	Bushy Boronia	2a			18
<i>Boronia revolute</i> Paul G. Wilson	Ironcaps Boronia	NP	R		8
<i>Bossiaea aquifolium</i> Benth.	Water Bush	2a			6
<i>Bossiaea eriocarpa</i> Benth.	Common Brown Pea	1b		A	10, 28
<i>Bossiaea ornata</i> (Lindl.) Benth.	Broad leaf Brown Pea	1b			1, 7
<i>Brachysema papilio</i> Crisp.		NP	R		8
<i>Calothamnus villosus</i> R.Br.		1a			11
<i>Calytrix fraseri</i> A. Cunn.	Pink Summer Calytrix	1			25
<i>Chamelaucium erythrochlora</i> N.G. Marchant & Keighery		NP	R		12
<i>Chamelaucium griffinii</i> N.G. Marchant & Keighery		NP	R		12
<i>Chamelaucium roycei</i> N.G. Marchant & Keighery		NP	R		12
<i>Conospermum stoechadis</i> Endl.	Common Smokebush	1a		A	1, 11
<i>Conospermum todii</i> F.Muell.	Victorian Desert Smokebush	NP			12
<i>Conospermum triplinervium</i> R.Br.	Tree Smokebush	2b		A	11
<i>Conostephium pendulum</i> Benth.	Pearl flower	1b			1, 28
<i>Crowea angustifolia</i> Sm.	Crowea	NP			1
<i>Dampiera alata</i> Lindl.	Winged-stem Dampiera	1a			11
<i>Darwinia collina</i> C.A. Gardner	Yellow Mountain Bell	NP	R	A	8, 12
<i>Darwinia macrostegia</i> (Turcz) Benth.	Mondorup Bell	NP	R	A	8
<i>Darwinia meeboldii</i> C.A. Gardner	Cranbrook Bell	NP	R		8, 12
<i>Darwinia oxylepis</i> N.G. Marchant & Keighery	Gillam's Bell	1a	R	A	1, 12

<i>Darwinia squarrosa</i> (Turcz) Domin.	Pink Mountain Bell	1a	R		1, 14
<i>Darwinia wittwerorum</i> N.G. Marchant & Keighery		1a	R		1, 16
<i>Dasypogon bromeliifolius</i> R.Br.	Pineapple Bush	1b			1, 11, 28
<i>Daviesia decurrens</i> Meisn.	Prickly Bitter-Pea	1b		A	27, 83
<i>Daviesia glossosema</i> Crisp		2a	R		2
<i>Daviesia incrassata</i> Sm.		1a			11
<i>Daviesia inflata</i> Crisp.		1a			33
<i>Daviesia megacalyx</i> Crisp.		NP	R		8
<i>Daviesia obovata</i> Turcz.		2a	R		2
<i>Daviesia physodes</i> G. Don.		NP			33
<i>Daviesia preissii</i> Meisn.					
<i>Daviesia pseudaphylla</i> Crisp.		NP	R		8
<i>Daviesia rhombifolia</i> Meisn.		1b			27
<i>Daviesia ulicifolia</i> Andrews		NP			4
<i>Dianella revoluta</i> R.Br.	Blueberry Lily	1b		A	27
<i>Dryandra falcata</i> R.Br.	Prickly Dryandra	1a			36
<i>Dryandra plumosa</i> R.Br.		1a			36
<i>Dryandra pteridifolia</i> R.Br.	Tangled Honeypot	1a			36
<i>Dryandra anatona</i> A.S. George		NP	R		8
<i>Dryandra arctotidis</i> R.Br.		1a			1, 36
<i>Dryandra armata</i> R.Br.	Prickly Dryandra	1a			1
<i>Dryandra bipinnatifida</i> R. Br.		1a			1
<i>Dryandra cirsioides</i> Meisn.		1a			36
<i>Dryandra formosa</i> R.Br.	Showy Dryandra	1b		A	1, 10
<i>Dryandra ionthocarpa</i> A.S. George		1a	R		36
<i>Dryandra lindleyana</i> Mesin.		1a		A	1
<i>Dryandra mimica</i> A.S. George	Summer Honeypot	NP			12
<i>Dryandra montana</i> A.S. George		NP	R		8
<i>Dryandra mucronulata</i> R.Br.	Swordfish Dryandra	1a			36
<i>Dryandra nivea</i> (Labill.) R.Br.	Couch Honeypot	1a			1, 11, 22
<i>Dryandra pteridifolia</i> R.Br.	Tangled Honeypot	1a			1
<i>Dryandra plumosa</i> R.Br.		1a			36
<i>Dryandra quercifolia</i> Meisn.	Oakleafed Dryandra	1a			36
<i>Dryandra seneciifolia</i> R.Br.		1a			1
<i>Dryandra serra</i> R.Br.	Serrate-leaved Dryandra	1a			1
<i>Dryandra serratuloides</i> Meisn.		NP			8, 12
<i>Dryandra serratuloides</i> Meisn. ssp. <i>Perissa</i> A.S. George		NP	R		8, 16
<i>Dryandra sessilis</i> (Knight) Domin.	Parrot Bush	1a		A	1, 18
<i>Dryandra squarrosa</i> R.Br.	Pringle	1a			1
<i>Dryandra squarrosa</i> R. Br. ssp. <i>argillacea</i> A.S. George		NP	R		8
<i>Dryandra tenuifolia</i> R.Br.		1a			36
<i>Eremaea beaufortoides</i> Benth.		1			24

<i>Eucalyptus marginata</i> Sm.	Jarrah	2b		A	1, 22
<i>Eucalyptus todtiana</i> F. Muell.	Coastal Blackbutt	2a		A	11, 22
<i>Evandra aristata</i> R.Br		1a			1
<i>Gastrolobium leakeanum</i> J. Drumm.		2a	P2		2
<i>Gastrolobium vestitum</i> (Domin) G. Chandler & Crisp		2a	P2		2
<i>Gompholobium knightianum</i> Lindl.		1			18
<i>Gompholobium polymorphum</i> R. Br.		2a			18
<i>Grevillea calliantha</i> Makinson & Olde		NP	R		12
<i>Grevillea cirsiifolia</i> Meisn.	Varied-leaf Grevillea	NP			12
<i>Grevillea concinna</i> R. Br.	Red Combs	1			25
<i>Grevillea saccata</i> Benth.	Pouched Grevillea	NP		A	12
<i>Grevillea tripartita</i> Meisn.		1a			36
<i>Hakea ambigua</i> Meisn.		1a			36
<i>Hakea baxteri</i> R. Br	Fan Hakea	1a			1
<i>Hakea cucullata</i> R. Br.	Hood leaved Hakea	1a			1
<i>Hakea ferruginea</i> Sweet		1			24
<i>Hakea flabellifolia</i> Meisn.	Fan-leaved Hakea	NP			33
<i>Hakea lehmanniana</i> Meisn.	Blue Hakea	1a			36
<i>Hakea marginata</i> R.Br.		1a			36
<i>Hakea oleifolia</i> (Sm.) R. Br.		1a			1
<i>Hakea pandanica</i> ssp. <i>crassifolia</i> (Meisn.) R.M. Baker		1a			1
<i>Hakea pandanica</i> R.Br. ssp. <i>crassifolia</i> (Meisn.)R.M. Barker		1a			36
<i>Hakea prostrata</i> R. Br.	Harsh Hakea	1a		A	1
<i>Hakea trifurcata</i> (Sm.)R.Br	Two-leaf Hakea	1a		A	1
<i>Hakea undulata</i> R.Br.	Wavy-leaved Hakea	1a			1, 36
<i>Hibbertia acerosa</i> (D.C.) Benth.	Needle leaved Guinea Flower	1b			7
<i>Hibbertia amplexicaulis</i> Steud.		1b			27, 18, 7
<i>Hibbertia commutata</i> Steud.		1a			18
<i>Hibbertia desmophylla</i> (Benth.) F. Muell.		1b			10
<i>Hibbertia furfuracea</i> (D.C.) Benth.		NP			33
<i>Hibbertia huegelli</i> (Endl.) F. Muell.		2a			18
<i>Hibbertia hypercoides</i> (DC) Benth.		1b		A	1, 11, 28
<i>Hibbertia inconspicua</i> Steud.		1a			1
<i>Hibbertia lineata</i> Steud.		1b			27
<i>Hibbertia montana</i> Steud.		1b			7, 27
<i>Hibbertia montana</i> var <i>major</i> Steud.		1b			7
<i>Hibbertia quadricolor</i> Domin.		1b			18, 27
<i>Hibbertia rhadinopoda</i> Domin.		2a			17
<i>Hibbertia stellaris</i> Endl.		1b		A	18
<i>Hovea elliptica</i> (Sm.) D.C..	Tree Hovea	1b		A	31
<i>Hovea pungens</i> Benth.	Devil's Pins	2a			22

<i>Hybanthus floribundus</i> (Lindl.) F. Muell.		2a			17
<i>Hypocalymma robustum</i> (Endl.) Lindl.	Swan River Myrtle	1b		A	1, 11, 27
<i>Hypocalymma strictum</i> Schauer		1a		A	36
<i>Isopogon attenuatus</i> R. Br.		2b			31
<i>Isopogon axillaris</i> R. Br.		1a			1
<i>Isopogon baxteri</i> R.Br.	Stirling Range Coneflower	1a			36
<i>Isopogon buxifolius</i> R.Br. var <i>obovatus</i> Benth.		1a			36
<i>Isopogon formosus</i> R. Br.	Rose Coneflower	1b		A	1
<i>Isopogon sphaerocephalus</i> Lindl.	Drumstick Isopogon	1b			1, 7, 27
<i>Isopogon teretifolius</i> R.Br. var <i>petrophil.</i> (R.Br) D. Foreman		1a			36
<i>Isopogon trilobus</i> R.Br.	Barrel Coneflower	1a			36
<i>Isopogon uncinatus</i> R. Br.		NP	R		8, 12
<i>Jacksonia floribunda</i> Endl.	Holly Pea	1a			1, 11, 31
<i>Jacksonia furcellata</i> (Bonpl.) D.C.		1b		A	28
<i>Jacksonia horrida</i> D.C.		1a			1
<i>Jacksonia spinosa</i> (Labill.) R. Br.		1b			10
<i>Jacksonia sternbergiana</i> Huegl.	Stinkwood	1b			28
<i>Kunzea ericifolia</i> (Sm). Heynh.	Spearwood	1b		A	28
<i>Kunzea montana</i> (Diels) Domin	Mountain Kunzea	2a			2
<i>Kunzea sulphurea</i> Torey & P. Morris		1a			1
<i>Labichea punctata</i> Benth.	Lance-leaved Bassia	1a			17
<i>Lambertia ericifolia</i> R.Br.	Heath-leaved Honeysuckle	1a			36
<i>Lambertia echinata</i> ssp. <i>citrina</i> Hnatiuk		1			24
<i>Lambertia echinata</i> ssp. <i>echinata</i> R. Br.		1a	R		8, 1, 12
<i>Lambertia echinata</i> ssp. <i>occidentalis</i> Keighery		NP	R		8
<i>Lambertia fairallii</i> Keighery	Fairall's Honeysuckle	NP	R		8, 12
<i>Lambertia ilicifolia</i> Hook.	Holly-Leaved Honeysuckle	1			24
<i>Lambertia inermis</i> R.Br.	Chittick	1a			33
<i>Lambertia multiflora</i> Lindl.	Many-Flowered Honeysuckle	NP			33
<i>Lambertia orbifolia</i> CA Gardner	Round-leaved Honeysuckle	NP	R		8,128
<i>Lambertia rariflora</i> ssp. <i>lutea</i> Hnatiuk	Green Honeysuckle	1	P3		24
<i>Lambertia uniflora</i> R.Br.		1a			36
<i>Lasiopetalum floribundum</i> Beneth.	Free Flowering Lasiopetalum	1b			7, 22, 27
<i>Latrobea genistoides</i> (Meisn.)Meisn.		1b			10
<i>Latrobea hirtella</i> (Turcz) Benth.		1b			10
<i>Leucopogon australis</i> R. Br.	Spiked Beard-Heath	1a			1, 11, 22
<i>Leucopogon capitellatus</i> D.C.		1b			1, 7, 11, 18, 27
<i>Leucopogon concinnus</i> Benth.		1a			1
<i>Leucopogon conostephioides</i> D.C.		1b			1, 28
<i>Leucopogon cymbiformis</i> D.C.		1a			36

<i>Leucopogon distans</i> R.Br.		1a			36
<i>Leucopogon distans</i> R.Br. ssp. <i>contractus</i> (Benth) J.M. Powell		1a			36
<i>Leucopogon elegans</i> Sond.		1b			10
<i>Leucopogon flavescens</i> Sond.		1a			1, 10
<i>Leucopogon gibbosus</i> Stschehl		1a			36
<i>Leucopogon gnaphalioides</i> Stschehl.		2a	R		2
<i>Leucopogon gracillimus</i> D.C.		1a			1
<i>Leucopogon nutans</i> E. Pritzel.		1b			1, 27, 18
<i>Leucopogon obtectus</i> Benth.	Hidden Beard-Heath	NP	R		12
<i>Leucopogon oxycedrus</i> Sond.		1b			7
<i>Leucopogon parviflorus</i> Sond.		1a			1
<i>Leucopogon polymorphus</i> Sond.		2b			11, 22
<i>Leucopogon propinquus</i> R. Br.		1b			1, 7, 11, 27
<i>Leucopogon pulchellus</i> Sond.		2b			31
<i>Leucopogon revolutus</i> R. Br.		1a			1
<i>Leucopogon verticillatus</i> R. Br.		1b			1, 7, 27
<i>Lomandra odora</i> (Endl.) Ewart.	Tiered Matrush	1a			1
<i>Lomandra sonderi</i> (F. Muell.) Ewart.		1b			1, 7, 18
<i>Loxocaryx cinerea</i> R. Br.		1a			18
<i>Lysinema conspicuum</i> R. Br.		1a			36
<i>Lysinema cillatum</i> R. Br.	Curry Flower	2b			11
<i>Macrozamia riedlei</i> (Gaudich) CA Gardner	Zamia	1b		A	1, 22, 28
<i>Melaleuca scabra</i> R. Br.	Rough Honey-myrtle	2b		A	1, 11
<i>Melaleuca subfalcata</i> Turcz.		1a			36
<i>Melaleuca thymoides</i> Labill.		1b		A	28
<i>Monotoca tamariscina</i> F. Muell.		1a			1
<i>Nemcia pulchella</i> (Turcz) Crisp.		1a			1
<i>Olearia ciliata</i> (Benth.) Benth.	Fringed Daisy Bush	1			35
<i>Opercularia vaginata</i> Juss.	Dogweed	1a			18
<i>Patersonia babianooides</i> Benth.		1a			18
<i>Patersonia rudis</i> Endl.	Hairy Flag	1a			1
<i>Patersonia umbrosa</i> Endl.	Yellow Flags	1a			1
<i>Pattersonia occidentalis</i> R. Br.	Purple Flags	1b		A	1, 11, 22, 27
<i>Pericalymma ellipticum</i> (Endl.) Schauer	Swamp Teatree	2a		A	11, 22
<i>Persoonia elliptica</i> R. Br.	Spreading Snottygobble	1a			1
<i>Persoonia longifolia</i> R. Br.	Snottygobble	1b			1, 18, 22, 31
<i>Persoonia micranthera</i> P.H. Weston		2a			2
<i>Petrophile biloba</i> R. Br.	Granite Petrophile	2a			22
<i>Petrophile divaricata</i> R.Br.		1a			36
<i>Petrophile diversifolia</i> R. Br.		1a			1
<i>Petrophile drummondii</i> Meisn.		1a			11
<i>Petrophile ericifolia</i> R.Br.		1a			36
<i>Petrophile linearis</i> R. Br.	Pixie Mops	1b			1, 11, 28

<i>Petrophile longifolia</i> R.Br.	Long Leaved Conebush	1a			36
<i>Petrophile media</i> R.Br.		1a			36
<i>Petrophile seminuda</i> Lindl.		1a			36
<i>Petrophile serruriae</i> R. Br.		1a			1
<i>Petrophile squamata</i> R.Br.		1a			1
<i>Petrophile stricta</i> Foreman		1a			11
<i>Pimelea suaveolens</i> Meisn.	Scented Banjine	1b			18, 27
<i>Platysace compressa</i> (Labill.) Norman	Tapeworn Plant	1a			18, 31
<i>Podocarpus drouynianus</i> F. Muell.	Wild Plum	1b		A	1, 22
<i>Scaevola calliptera</i> Benth.	Grey Scaevola	2a		A	17
<i>Scholtzia involucrata</i> (Endl.) Druce.	Spiked Scholtzia	1a			1
<i>Sphenotoma dracophylloides</i> Sond.		1a			36
<i>Sphenotoma drummondii</i> (Benth.) F. Muell.	Mountain Paper-Heath	2a	R		2
<i>Sphenotoma gracile</i> (R.Br.) Sweet	Swamp Paper-heath	1a			36
<i>Sphenotoma</i> sp. Stirling Range (P.G. Wilson 4235)		1	P3		24
<i>Sphenotoma squarrosus</i> (Benth.) F. Muell.		2a			22
<i>Stirlingia latifolia</i> (R. Br.) Steud.	Blueboy	1a			1
<i>Stirlingia tenuifolia</i> (R.Br.) Steud.		1a			36
<i>Stylidium amoenum</i> R. Br.	Lovely Triggerplant	2a			17
<i>Stylidium junceum</i> R. Br.	Reed Triggerplant	2a			17
<i>Stylidium schoenoides</i> D.C.	Cow Kicks	1a			17
<i>Stylidium spathulatum</i> R. Br.	Creamy Triggerplant	1b			10
<i>Styphelia tenuiflora</i> Lindl.	Common Pinheath	1b			1, 18, 27
<i>Synaphea petiolaris</i> R. Br.	Synaphea	1a			1
<i>Synaphea polymorpha</i> R.Br.	Albany Synaphea	1a			36
<i>Taxandria spathulata</i> (Schauer) J.R. Wheeler & N.G. Marchant		1,2a			29
<i>Tetrarrhena laevis</i> R. Br.	Forest Ricegrass	1a			18
<i>Tetrateca hirsuta</i> Lindl.	Blackeyed Susan	2b			17
<i>Tetrateca pilosa</i> Labill.		1b			14
<i>Tetrateca setigera</i> Endl.		1a			36
<i>Themeda triandra</i> Forssk.		1			35
<i>Thomasia grandifolia</i> Lindl.	Large Flowered Thomasia	2b			11
<i>Thryptomene saxicola</i> (Hook) Schauer	Rock Thryptomene	1a			11
<i>Thysanotus multiflorus</i> R. Br.	Many-Flowered Fringe Lily	2a			17
<i>Thysanotus thyrsoideus</i> Baker		1a			18
<i>Tremandra stelligera</i> D.C.		1a			1
<i>Trymalium ledifolium</i> Fenzl.		1b			7, 22
<i>Velleia foliosa</i> (Benth.) K. Krause		2a	P4		2
<i>Verticordia densiflora</i> Lindl.	Compacted Featherflower	NP			4
<i>Verticordia densifolia</i> Lindl.	Compacted Featherflower	1b		A	8, 11, 22
<i>Verticordia grandis</i> J.L. Drumm.	Scarlet Featherflower	1			24



<i>Verticordia huegelii</i> Endl.	Variegated Featherflower	2b		A	11, 22
<i>Verticordia nitens</i> (Lindl.) Endl.	Morrison Featherflower	1a		A	1, 11
<i>Xanthorrhoea nana</i> D.A. Herb	Dwarf Grasstree	1a			1
<i>Xanthorrhoea brevistyla</i> D.A. Herb		1a			36
<i>Xanthorrhoea drummondii</i> Harv.		1a			1
<i>Xanthorrhoea gracilis</i> Endl.	Graceful Grasstree	1b			1, 7, 11, 18, 22, 27
<i>Xanthorrhoea platyphylla</i> D.J. Bedford		1a			36
<i>Xanthorrhoea preissii</i> Endl.	Grasstree	1b		A	1, 7, 11, 18, 22, 28
<i>Xylomelum angustifolium</i> Kippist & Meisn.	Sandplain Woody Pear	1a			1
<i>Xylomelum occidentale</i> R. Br.	Woody Pear	1a			1, 11

## REFERENCES:

1. Alcoa of Australia (2002). Indicators of *P. cinnamomi* used by Interpreters. Environment Research Bulletin.
2. Barrett, S., Shearer, B. L., Crane, C. E., & Cochrane, A. (2008). An extinction-risk assessment tool for flora threatened by *Phytophthora cinnamomi*. *Australian Journal of Botany*, 56; 477-486.
3. Bluett, V., Weste, G., & Cahill, D. (2003). Distribution of disease caused by *Phytophthora cinnamomi* in Wilsons Promontary National Park and potential for further impact. *Australasian Plant Pathology*, 32; 479-491.
4. Cahill, D. M., Rookes, J. E., Wilson, B. A., Gibson, L., & McDougall, K. L. (2008). Turner Review no. 17: *Phytophthora cinnamomi* and Australia's biodiversity: impacts, predictions and progress towards control. *Australian Journal of Botany*, 56; 279-310.
5. Cho, J. J. (1983). Variability in susceptibility of some *Banksia* Species to *Phytophthora cinnamomi* and their distribution in Australia. *Plant Disease*, 67; 869-871.
6. D'Souza, N. K., Colquhoun, I. J., Shearer, B. L., & Hardy, G. E. S. J. (2002). Assessing the potential for biological control of *Phytophthora cinnamomi* by fifteen native Western Australian jarrah-forest legume species. *Australasian Plant Pathology*, 34; 533-540.
7. Edmiston, R. J. (1989). Plants Resistant to Dieback. Department of Conservation and Land Management. 1-89.
8. Environment Australia. (2001). Threat Abatement Plan for Dieback caused by the root-rot fungus *Phytophthora cinnamomi*.
9. Gardner, J. H. & Rokich, P. A. (1987). *Phytophthora cinnamomi* in operational and rehabilitated bauxite mine area in South-western Australia. Alcoa of Australia Environment Research Bulletin. 13.
10. Hart, R. (1983). Report on Dieback due to *Phytophthora cinnamomi* in Two People's Bay Nature Reserve. Department of Fisheries and Wildlife.
11. Hill. (1990). Dieback Diseases and other *Phytophthora* spp. in the Northern Kwongon. In *Nature, Conservation, Landscape and Recreational Values of the Lesueur Area. A report to the Environmental Protection Authority from the Department of Conservation and Land Management*. eds. A. Burbidge, S. D. Hopper & S. van Leeuwen, EPA. WA.

12. Keighery, G. (1992). The impact of *Phytophthora* species on rare plants. In *Dieback-What is the Future ?*, eds. M. J. Freeman, R. Hart & M. Ryall, Northern Sandplains Dieback Working Group. Perth, pp. 29-36.
13. Laidlaw, W. S. & Wilson, B. A. (2003). Floristic and structural characteristics of a coastal heathland exhibiting symptoms of *Phytophthora cinnamomi* infestation in the eastern Otway Ranges, Victoria. *Australian Journal of Botany*, 51; 283-293.
14. Lee, T. C. & Wicks, T. J. (1977). *Phytophthora cinnamomi* in native vegetation in south Australia. *Australasian Plant Pathology Newsletter*, 6; 22-23.
15. Marks, G. C. & Smith, I. W. (1991). *The cinnamon fungus in Victorian forests*. Victorian Government Publications, Melbourne
16. McCredie, T. A., Dixon, K. W. & Sivasithamparam, K. (1985). Variability in the resistance of *Banksia* L.f. species to *Phytophthora cinnamomi*. *Australian Journal of Botany*, 33; 629-637.
17. McDougall, K. L., Hardy, G. E. S. J. & Hobbs, R. J. (2001). Additions to the host range of *Phytophthora cinnamomi* in the jarrah (*Eucalyptus marginata*) forest of Western Australia. *Australian Journal of Botany*, 49; 193-198
18. McDougall, K. L., Hobbs, R. J. & Hardy, G. E. S. J. (2002). Vegetation of *Phytophthora cinnamomi*-infested and adjoining uninfested sites in the northern jarrah (*Eucalyptus marginata*) forest of Western Australia. *Australian Journal of Botany*, 50; 277-288.
19. McDougall, K. L., Hobbs, R. J. & Hardy, G. E. S. J. (2005). Distribution of understorey species in forest affected by *Phytophthora cinnamomi* in south-western Western Australia. *Australian Journal of Botany*, 53; 813-819.
20. McDougall, K. L., Summerell, B. A., Coburn, D., & Newton, M. (2003). *Phytophthora cinnamomi* causing disease in subalpine vegetation in New South Wales. *Australasian Plant Pathology*, 32; 113-115.
21. Panjehkeh, N., Backhouse, D., & Taji, A. (2007). Flower colour is associated with susceptibility to disease in the legume *Swainsona formosa*. *Australasian Plant Pathology*, 36; 341-346.
22. Podger, F. D. (1972). *Phytophthora cinnamomi*, a cause of lethal disease in indigenous plant communities in Western Australia. *Phytopathology*, 62; 972-981.
23. Reiter, N., Weste, G., & Guest, D. (2004). The risk of extinction resulting from disease caused by *Phytophthora cinnamomi* to endangered, vulnerable or rare plant species endemic to the Grampians, western Victoria. *Australian Journal of Botany*, 52; 425-433.
24. Shearer, B.L., Crane, C. E., Barrett, S., & Cochrane, A. (2007). Assessment of threatened flora susceptibility to *Phytophthora cinnamomi* by analysis of disease progress curves in shadehouse and natural environments. *Australasian Plant Pathology*, 36; 609-620.
25. Shearer, B.L., Crane, C. E., & Cochrane, A. (2004). Quantification of the susceptibility of the native flora of the Southwest Botanical Province, Western Australia, to *Phytophthora cinnamomi*. *Australian Journal of Botany*, 52; 435-443.
26. Shearer, B.L., Crane, C. E., & Cochrane, A. (2004). Phosphite reduces disease extension of a *Phytophthora cinnamomi* front in *Banksia* woodland, even after fire. *Australasian Plant Pathology*, 33; 249-254.
27. Shearer, B. L. & Dillon, M. (1996). Susceptibility of plant species in *Banksia* woodlands on the Swan Coastal Plain, Western Australia, to infection by *Phytophthora cinnamomi*. *Australian Journal of Botany*, 44; 433-445.

28. Shearer, B. L. & Dillon, M. (1995). Susceptibility of plant species in *Eucalyptus marginata* forest to infection by *Phytophthora cinnamomi*. *Australian Journal of Botany*, 43; 113-134.
29. Shearer, B. L., & Fairman, R. G. (2007). Application of phosphite in a high-volume foliar spray delays and reduces the rate of mortality of four *Banksia* species infected with *Phytophthora cinnamomi*. *Australasian Plant Pathology*, 36; 358-368.
30. Suddaby, T., Alhussaen, K., Daniel, R., & Guest, D. (2008). Phosphonate alters the defense responses of *Lambertia* species challenged by *Phytophthora cinnamomi*. *Australian Journal of Botany*, 56; 550-556.
31. Titze, J. F. & Palzer, C. R. (1969). Host list of *Phytophthora cinnamomi* Rands with special reference to Western Australia. Forestry and Timber Bureau, Department of National Development. Technical Note No. 1.
32. Tynan, K. M., Scott, E. S. & Sedgley, M. (1998). Evaluation of *Banksia* species for response to *Phytophthora* infection. *Plant Pathology*, 47; 446-455.
33. Tynan, K. M., Wilkinson, C. J., Holmes, J. M., Dell, B., Colquhoun, I. J., McComb, J. A. & Hardy, G. E. St. J. (2001). The long-term ability of phosphite to control *Phytophthora cinnamomi* in two native plant communities of Western Australia. *Australian Journal of Botany*, 49; 761-770.
34. Weste, G. (2003). The dieback cycle in Victorian forests: a 30-year study of changes caused by *Phytophthora cinnamomi* in Victorian open forests, woodlands and heathlands. *Australasian Plant Pathology*, 32; 247-256.
35. Weste, G., Brown, K., Kennedy, J., & Walshe, T. (2002). *Phytophthora cinnamomi* infestation - a 24-year study of vegetation change in forests and woodlands of the Grampians, Western Victoria. *Australian Journal of Botany*, 50; 247-274.
36. Wills, R. T. (1993). Unpublished data.